The ServiceMaster Company One ServiceMaster Wav Downers Grove, IL 60515

MATERIAL SAFETY DATA SHEET

(Complies with 29 CFR 1910.1200)

Listed As

All Purpose Cleaner 1/800/333-6678 Page 1 of 1

SECTION I

Product (Trade) Name Manufacturer's Name Address All Purpose Cleaner

The ServiceMaster Company
One ServiceMaster Way; Downers Grove, IL 60515

1/800/333-6678

Emergency Telephone No Chemical Name and Synonyms Chemical Family

Formula DOT Hazard Class

Combustible Liquid, N.O.S. (Isopropyl Alcohol)

DOT ID Number NA1993

SECTION II -- HAZARDOUS INGREDIENTS

Ingredient Water Propylene Glycol	C.A.S. No. 7732-18-5	<u>Wt. by %</u> 60-90	OSHA PEL N/E	ACGIH TLV-TWA N/E	ACGIH STEL N/E	Carcinogenio By IARC, NTP OSHA, ACGIH No
Methyl Ether Dipropylene Glycol	107-98-2	1-5	100ppm	100ppm	150ppm	No
Monomethyl Ether Dihexyl sodium	34590-94-8	1-5	100ppm*	100ppm*	150ppm*	No
sulfosuccinatel Isopropyl Alcohol Sodium Lauryl	3006-15-3 67-63-0	1-5 1-5	N/E 400ppm	N/E 500ppm	N/E 500ppm	No No
Ether Sulfate Fragrance/trace additives *skin designation	9004-82-4 Mixture	1-5 Balance	N/E N/E	N/E N/E	N/E N/E	No No
Skin designation						

SECTION III -- PHYSICAL DATA

Boiling Point (°F): Vapor Pressure (mm hg):	N/D N/D	Specific Gravity (H ₂ O=1): % Volatile by Weight:	1.00 98% N/D
Vapor Density (Air=1): Solubility in Water:	N/D	Evaporation Rate (H ₂ O=1):	N/D
Solubility in Water:	Soluble	pH of Concentrate:	5.1
pH Diluted for Use:	6.5-6.8	'	

Appearance and Odor: Green liquid with a clean floral odor.

SECTION IV -- FIRE AND EXPLOSION HAZARD DATA

Flash Point (Tag. Closed Tester): 143°F Flammable Limits: LEL UEL N/A N/A

Extinguishing Media: Carbon dioxide, dry chemical, alcohol foam.

Special Fire Fighting Procedures: Wear SCBA when fighting fires involving chemicals.

Unusual Fire and Explosion Hazards: Containers may rupture from heat of fire. Use water spray to cool containers

SECTION V -- HEALTH HAZARD DATA

Primary Route(s) of Exposure: Skin and eye contact.

Threshold Limit Value: N/D for mixture. See Section II for TLV's of hazardous ingredients.

Effects of Overexposure:
- Acute: By Inhalation - Excessive inhalation of vapors may cause irritation, dizziness.
By Eye Contact - Causes eye irritation, redness, blurred vision. Corneal damage

By Ingestion - Slightly toxic by ingestion of large amounts. May cause nausea, gastrointestinal irritation, diarrhea.

By Skin Contact - May cause slight irritation.

Chronic: Prolonged skin contact can cause skin irritation.

Medical Conditions Generally Aggravated by Exposure: None known.

Emergency and First Aid Procedures:

Remove to fresh air For Inhalation For Eye Contact

Flush eyes with plenty of water for at least 15 minutes, lifting eye lids to ensure flushing of entire surface. If irritation persists, get medical attention. If swallowed, drink 2-3 large glasses of water. Do not induce vomiting. Get immediate medical attention. For Ingestion Flush affected area with plenty of water. Remove contaminated clothing and launder

For Skin Contact

SECTION VI -- REACTIVITY DATA

Stability: Stable. Conditions to Avoid: Heat, sparks, open flame. Incompatibility (Materials to Avoid): Strong oxidizing agents, ketones, strong acids. Hazardous Decomposition Products: Upon combustion, may emit carbon monoxide and carbon dioxide. Hazardous Polymerization: Will not occur.

SECTION VII -- SPILL OR LEAK PROCEDURES

Steps To Be Taken In Case Material Is Released Or Spilled: Eliminate all sources of ignition. Wear proper personal protective equipment (SECTION VIII). Small amounts may be diluted with water and washed away to sanitary sewer. For large amounts, add absorbent material. Sweep up using nonsparking equipment and containerize for disposal

Waste Disposal Method: For large amounts, containerize and consign material to a licensed waste hauler for disposal as nonhazardous waste. Dispose of all waste in accordance with local, State, and Federal

Hazardous Waste Classification: N/A

SECTION VIII -- SPECIAL PROTECTION INFORMATION

For Handling Product as Supplied: Respiratory Protection - Not

Not normally required. Normal ventilation is satisfactory. Ventilation

Protective Gloves
Eye Protection
Other Protective Equipment

- Rubber gloves.
- Chemical splash goggles.
- Wear protective equipment as needed to prevent skin contact.

SECTION IX -- SPECIAL PRECAUTIONS

Precautions To Be Taken In Handling And Storing: Keep away from heat, sparks and open flame. Store product in a cool, dry area Other Precautions: Wash hands thoroughly after use. Keep out of reach of children.

SECTION X - ADDITIONAL INFORMATION

SARA 313 Information: This product contains the following chemical(s) subject to the requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

> **Chemical Name CAS Number** Concentration Isopropyl Alcohol 67-63-0 1-5

Prepared By: Research and Development Department

Date Prepared: October 13. 2001

Supercedes previous form dated: October 19, 1998